

# LOOP-LOC<sup>®</sup> MEASURING FORM

## DEALER INFORMATION

DEALER CODE: \_\_\_\_\_ DATE: \_\_\_\_\_

COMPANY NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

JOB NAME: \_\_\_\_\_

PO#: \_\_\_\_\_

SHIP TO: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

☐ **ESTIMATE** (Default if no box checked)

☐ **ORDER** ☐ USE CREDIT CARD ON FILE

☐ **ADDITIONAL INFORMATION**

For job previously submitted # \_\_\_\_\_

**POOL TYPE:** ☐ **In-Ground** ☐ **On-Ground** ☐ **Commercial** ☐ **Stock ID#** \_\_\_\_\_

**IF NO SPECIFIC COVER TYPE IS CHOSEN LOOP-LOC'S MAIN QUOTE WILL BE FOR LOOP-LOC II SUPER DENSE MESH GREEN**

## **SUPER DENSE MESH SAFETY COVERS**

☐ SUPER DENSE MESH GREEN

☐ SUPER DENSE MESH DESIGNER COLOR: ☐ BLACK ☐ BLUE ☐ GRAY ☐ TAN

## **ULTRA-LOC III SOLID SAFETY COVERS**

☐ WITH MESH DRAINS

☐ NO DRAINS WITH AUTOMATIC COVER PUMP

☐ ULTRA-LOC SOLID GREEN

☐ ULTRA-LOC SOLID DESIGNER COLOR: ☐ BLUE ☐ GRAY ☐ MOCHA

(No Drains, Loop-Loc's Automatic Cover Pump must be purchased at an additional cost to be considered as a Safety Cover)

## **AQUA-XTREME MESH SAFETY COVERS**

☐ AQUA-XTREME MESH HUNTER GREEN

☐ AQUA-XTREME MESH COLOR: ☐ SAPPHIRE NAVY ☐ MOJAVE BROWN ☐ STEEL GRAY

☐ **REPLACEMENT COVER**

☐ **SPECIAL RECTANGLE** (approximate 3' sections)

Drafting Design may require some anchors to be redrilled, ☐ YES ☐ NO  
is approximate % needed?

## **HARDWARE REQUIRED**

☐ Brass Anchors

☐ \*Brass Masonry Anchor Collars

☐ \_\_\_\_\_ \*9" Aluminum Pipe w/ Brass Anchor

☐ \_\_\_\_\_ \*15" Aluminum Pipe w/ Brass Anchor

☐ \_\_\_\_\_ \*18" Aluminum Pipe w/ Brass Anchor

☐ \*Wood Deck Anchors

☐ \*On-Ground Bracket

☐ \*Commercial Springs

☐ \*Deck-Loc Anchors  
(for composite decks)

☐ \*Stainless Steel Anchors

☐ \*Stainless Steel Masonry Anchor Collars

☐ \*PVC Pipe 9" w/ Brass Anchor

☐ \*PVC Pipe 15" w/ Brass Anchor

\* Upcharge

**Only Use This Section If Extra Hardware is Required**

Please note any additional hardware with quantities here: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

Loop-Loc  
390 Motor Parkway  
Hauppauge, NY 11788

1-800-562-5667  
Email: sales@looploc.com www.looploc.com

**Please supply the name and address  
of consumer to be entered into our  
warranty database.**

**Name:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**City:** \_\_\_\_\_

**State:** \_\_\_\_\_ **Zip Code:** \_\_\_\_\_

**Email:** \_\_\_\_\_

COMPANY NAME: \_\_\_\_\_ JOB NAME/P.O.#: \_\_\_\_\_

Pool Type: ☐ Inground ☐ Onground Manufacturer \_\_\_\_\_ \* show varying deck sizes on sketch  
 Corner Type: ☐ Square \_\_\_\_\_ ☐ Radius Dimension \_\_\_\_\_ ☐ Diagonal Length \_\_\_\_\_  
 Are cut corners wanted? ☐ Yes ☐ No Obstructions? ☐ Yes ☐ No  
 \*cuts req'd for radii 4'+ and diagonals 3'+ \*Locate obstructions on sketch & submit question page

Sketch of pool showing varying deck levels & any obstructions

Please check appropriate box to indicate correct pool shape:

☐   
 Rectangle

☐   
 True L Left

☐   
 True L Right

☐   
 Grecian

☐   
 Roman

☐   
 True Oval

☐   
 Lazy L Left

☐   
 Lazy L Right

• If J or K are greater than 6' must be a Formfit

• Minimum 4'-0" Deck

	A	B	C	D	E	F	G	H	I	J	K	L
Rectangle												
TrueL												
Grecian												
RomanEnd												
True Oval												
LazyL												

STEP or SWIMOUT: Note: Oval Pools - A-B must be done if step not centered or if there are obstructions.  
 Roman Pools - sketch must be done showing step location.

90 corners

1 = \_\_\_\_\_  
 2 = \_\_\_\_\_

Diagonal Walls

1 = \_\_\_\_\_  
 2 = \_\_\_\_\_  
 3 = \_\_\_\_\_

True Radius Roman

1 = \_\_\_\_\_  
 2 = \_\_\_\_\_

STEP LOCATION: Centered: Yes - specify which wall step is located on \_\_\_\_\_  
 No - show location & offset on sketch on top.

\*\*If you have more than one step please provide detailed sketch with all dimensions and locations\*\*

COMPANY NAME: \_\_\_\_\_ JOB NAME/P.O.#: \_\_\_\_\_

A	B	A	B	A	B	A	B	A	B
1		21		41		61		66	
2		22		42		62		67	
3		23		43		63		68	
4		24		44		64		69	
5		25		45		65		70	
6		26		46					
7		27		47					
8		28		48					
9		29		49					
10		30		50					
11		31		51					
12		32		52					
13		33		53					
14		34		54					
15		35		55					
16		36		56					
17		37		57					
18		38		58					
19		39		59					
20		40		60					

REQUIRED INFORMATION!

POINT TO POINT CROSS DIMENSIONS

PT. _____ to PT. _____	PT. _____ to PT. _____
Distance = _____	Distance = _____
PT. _____ to PT. _____	PT. _____ to PT. _____
Distance = _____	Distance = _____

DECKING INFORMATION

Deck Width (including coping) \_\_\_\_\_

\*\*indicate areas less than 3' on sketch\*\*

Loop-Loc Pipes Wanted For Entire Cover? ☐ YES ☐ NO

☐ Aluminum Pipe w/Brass Anchor ☐ PVC Pipe w/Brass Anchor

POOL TYPE

☐ Gunite ☐ Package Manufacturer \_\_\_\_\_

What Is Corner Radius? \_\_\_\_\_

What Is Diagonal Corner Length? \_\_\_\_\_

Do You Want Cut Corners? ☐ YES ☐ NO


(cuts req'd for radii greater than 4' and diagonal greater than 3')

REPLACEMENTS

Drafting Design may require some anchors to be redrilled, ☐ YES ☐ NO

is approximate % needed?

A-B LINE MUST BE 3' BACK FROM POOL LINE • PROVIDE INSIDE POOL DIMENSIONS INCLUDING STEP SIZE AND LOCATION • SHOW LOCATION OF POINTS "A" & "B" IN RELATION TO POOL • SHOW ALL OBSTRUCTIONS & PLANTERS • SHOW AREAS WHERE DECK IS LESS THAN 3' FROM WATERLINE TO OUTSIDE OF DECK INCLUDING COPING



**\*\*DISTANCE FROM POINT "A" TO POINT "B" = \_\_\_\_\_ Ft. \_\_\_\_\_ In.\*\***

"A-B" Measurements cannot be used unless this distance is given! Distance should be at least 2/3 the length of the pool.

Contact: \_\_\_\_\_

Job Name/P.O.#: \_\_\_\_\_

Dealer/Company Name: \_\_\_\_\_

Phone# \_\_\_\_\_ Email \_\_\_\_\_

## OBSTRUCTIONS:

CHECK ONE YES NO

1. Are there any **non-removable** handrails, grabrails, or ladders?..... ☐ YES ☐ NO
  - a. "A-B" dimensions are required to front center of all rails, blocks, cups, and to the points where rails dip below coping.
  - b. Distance rails extend into pool \_\_\_\_\_  
Distance rails are set back from pool \_\_\_\_\_  
Type of grabrail: ☐ Rail ☐ Concrete block/Anthony type
2. Are there any raised rail sockets?..... ☐ YES ☐ NO
  - a. "A-B" measure front center of socket.
  - b. Height of sockets \_\_\_\_\_ (3" or higher require cutout.)
3. Are there any grab rocks?..... ☐ YES ☐ NO
  - a. If yes, **PHOTO REQUIRED**.  
"A-B" front center of each grab rock, and provide width of each.
  - b. Width of each grab rock. \_\_\_\_\_  
Distance grab rocks are set back from pool \_\_\_\_\_
4. Is there a **non-removable** fillspout?..... ☐ YES ☐ NO
  - a. "A-B" dimensions needed for start and end of pipe.
  - b. Fillspout is: ☐ Level with deck ☐ Raised  
If raised, how high? \_\_\_\_\_  
Distance set back from pool \_\_\_\_\_
  - c. Is end of spout below coping?..... ☐ YES ☐ NO  
Distance into pool \_\_\_\_\_  
Distance below coping level \_\_\_\_\_
5. Is there a dive stand?..... ☐ YES ☐ NO  
Distance set back from pool \_\_\_\_\_ (A-B if closer than 2')
6. Is there a dive rock?..... ☐ YES ☐ NO
  - a. If yes, **PHOTO REQUIRED**.  
"A-B" the sides and front of rock, as well as the pool wall, using 1' intervals. PT. #'s \_\_\_\_\_
  - b. Distance rock overhangs pool edge \_\_\_\_\_  
Distance rock extends below deck level \_\_\_\_\_
  - c. Height of rock \_\_\_\_\_
7. Are there slide legs within 2' of pool?..... ☐ YES ☐ NO
  - a. If yes, give "A-B" dimensions to each leg, and give the distance each is set back from pool edge.

## SPA INFORMATION: PHOTOS REQUIRED

8. Is there a spa?..... ☐ YES ☐ NO  
Coping width \_\_\_\_\_
  - a. Is spa to be included in this estimate/order?..... ☐ YES ☐ NO  
Is separate cover required for spa?..... ☐ YES ☐ NO  
One cover for pool and spa?..... ☐ YES ☐ NO
  - b. Is spa raised above pool?..... ☐ YES ☐ NO  
If yes, how high? \_\_\_\_\_
  - c. Can anchors be installed on the outside spa wall?..... ☐ YES ☐ NO  
(For Safety, heights greater than 18" must be designed to anchor into spa side wall)
  - d. Is spa dividing wall flush with top of coping?..... ☐ YES ☐ NO  
"A-B" Dimensions required on both Spa & Pool side of wall.
  - e. Does spa wall have an open spillway?..... ☐ YES ☐ NO  
If yes, "A-B" dimensions are required to locate spillway.
  - f. If solid w/drain, is drain panel wanted in spa area?..... ☐ YES ☐ NO
  - g. Are there any other specific spa cover design instructions?..... ☐ YES ☐ NO  
Please specify \_\_\_\_\_

## DECKING & COPING:

CHECK ONE YES NO

9. Coping Width \_\_\_\_\_ Coping Material \_\_\_\_\_
  - a. Is coping rough?..... ☐ YES ☐ NO
  - b. Rolls of "Clip-Loc" padding wanted?..... ☐ YES ☐ NO
  - c. Sewn perimeter padding wanted?..... ☐ YES ☐ NO
10. Deck Width (including coping) \_\_\_\_\_  
\*\*indicate area less than 3' on sketch\*\*
11. Deck Material: please show on sketch if deck type varies
  - a. **Wood:**  
Loop-Loc Wood Deck anchors wanted? ..... ☐ YES ☐ NO
  - b. **Composite Deck:**  
Deck-Loc anchors wanted? ..... ☐ YES ☐ NO
  - c. **Paver Deck/ Grass/ Planters Areas:**  
Loop-Loc Pipes wanted for anchor in pipe installation?..... ☐ YES ☐ NO  
☐ Aluminum Pipe w/Brass Anchor ☐ PVC Pipe w/Brass Anchor  
Overlap wanted in planter area \_\_\_\_\_ (minimum 9" for safety)
12. Auto Cover box?..... ☐ YES ☐ NO
  - a. Is cover box flush with coping?..... ☐ YES ☐ NO
  - b. Is cover box raised? If yes, how high \_\_\_\_\_
  - c. Dividing wall between waterline and coverbox? Width \_\_\_\_\_

## RAISED AREAS: PHOTOS REQUIRED

13. For safety cover, verify all raised wall areas are strong enough for cover to attach to it with wall anchors and o-rings. .... ☐ YES ☐ NO
  - a. Facade walls - Are 4" wall anchors wanted? (upcharge)..... ☐ YES ☐ NO
  - b. A-B the beginning, the end, the front and sides of the raised area where cover is to be attached, as well as the pool wall, at 1' intervals.  
**Note start & end points below:**  
Begins @ pt # \_\_\_\_\_ Ends @ pt # \_\_\_\_\_ Begins @ pt # \_\_\_\_\_ Ends @ pt # \_\_\_\_\_  
Begins @ pt # \_\_\_\_\_ Ends @ pt # \_\_\_\_\_ Begins @ pt # \_\_\_\_\_ Ends @ pt # \_\_\_\_\_
  - c. Waterfall or Rock formations - need distance rocks overhang pool edge \_\_\_\_\_
  - d. Is there a cave/grotto?..... ☐ YES ☐ NO  
If yes, what treatment is wanted?  
☐ Cable-Loc inside cave ☐ Vertical flap treatment (may be non-safe)

## VARYING DECK LEVELS: PHOTOS REQUIRED

14. A-B location for each rise, A-B each level including points on risers to show angle away from pool edge.  
Pt # \_\_\_\_\_ height \_\_\_\_\_ Pt # \_\_\_\_\_ height \_\_\_\_\_ Pt # \_\_\_\_\_ height \_\_\_\_\_  
Pt # \_\_\_\_\_ height \_\_\_\_\_ Pt # \_\_\_\_\_ height \_\_\_\_\_ Pt # \_\_\_\_\_ height \_\_\_\_\_  
Total Height \_\_\_\_\_  
**If there are raised areas or varying deck levels select treatment wanted:**  
☐ Raised Wall Treatment ☐ Up & Over Treatment ☐ Protect-A-Gap  
with Cable & Cable Kit (Maximum Rise 9") (Rises over 9")

## NEGATIVE EDGE/OVERFLOW POOLS: PHOTOS REQUIRED

15. Is basin to be included in this estimate/order?..... ☐ YES ☐ NO
  - a. Is separate cover required for Basin? ..... ☐ YES ☐ NO
  - b. One Cover for pool and Basin? (May be non-safe)..... ☐ YES ☐ NO
  - c. Elevation difference between pool coping & Basin Coping \_\_\_\_\_

## ON-GROUND POOLS:

16. Are there varying deck sizes? (If yes, submit sketch)..... ☐ YES ☐ NO
    - a. If deck is wood indicate:  
☐ Loop-Loc Wood Deck Flanges ☐ Loop-Loc On-Ground Brackets
- ## COMMERCIAL POOLS: Approx. 3x3 sections over 2,100 sq. ft.
- Pool type: ☐ Skimmer ☐ Exposed Gutter  
Gutter width \_\_\_\_\_  
\*\*Measure to deck edge & indicate location of gutter on sketch\*\*
17. Are there any specific design instructions? Please specify. \_\_\_\_\_

# MEASURING INSTRUCTIONS

1. Begin with a freehand sketch indicating inside pool dimensions. Include deck area, planters and any obstructions within 3' of the waterline. **A photo of the pool is needed when rocks, waterfalls, raised walls, spas or anything out of the ordinary exists.**
2. Establish two points, "A-B" with "A" on the left as shown. "A-B" line must be at least 3' away from the pool and 2/3 the length of the pool; 20'-25' is typical (show this on the sketch). To mark "A-B" points on deck - use chalk marks, on ground - use stakes in the dirt.

**NOTE:** The "A-B" line **must never** cross the pool line and should be approximately 3' away from the pool at the closest point (4' to 5' away for pools over 44' long).

3. Using chalk, mark and number points along the inside edge of the pool at approximately 3' intervals. Number all corner points, ladders, handrails, grabrails, slide legs, rocks, spillways, spa walls separating spa and pool, fill spout and dive stand. **1' to 2' intervals should be used in small or tight radius areas.** For raised area, points should be taken to the beginning, the end, the front and the sides of raised area where cover is to be attached, as well as the pool wall at 1' intervals. Straight walls should have at least 3 points, beginning, middle and end.
4. Measurements are now taken from point "A" to point #1, then point #2, and all the way around the pool. Then measure from point "B" to same point #1 and then #2, as you did for point "A". Measurements are listed in column format as shown.
5. Take measurements **between 2 known points** to determine the **length and width** of the pool. Additional measurements for difficult pools are suggested. Cross dimensions to any raised beam obstacles are also recommended.

NO.	A	B
1	14'-3"	30'-4"
2	15'-8"	31'-7"
3	17'-0"	34'-6"
4		
5		
6		
7		
8		
9		
10	CONTINUE	CONTINUE
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		

- \* Replacement Covers - A-B line should be 3' back from anchors. Same A-B line should be used for both pool and anchors whenever possible. If same A-B line is not possible, common A-B points and the relationship between the 2 different A-B lines must be shown.
- Please use Loop-Loc's replacement/alteration measuring form.**

